



This is the print version of the [Skeptical Science](http://sks.to/bear) article '[Polar bear numbers are increasing](http://sks.to/bear)', which can be found at <http://sks.to/bear>.

# How will global warming affect polar bears?

## What The Science Says:

Polar bears are in danger of extinction as well as many other species.

## Climate Myth: Polar bear numbers are increasing

"A leading Canadian authority on polar bears, Mitch Taylor, said: 'We're seeing an increase in bears that's really unprecedented, and in places where we're seeing a decrease in the population it's from hunting, not from climate change.'" ([Scotsman.com](http://www.scotsman.com))

Polar bears are found in the Arctic circle and surrounding land masses. There are 19 recognised subpopulations, and estimates place their numbers at about 20,000 to 25,000. Polar bears are [classified as vulnerable by the World Conservation Union \(IUCN\)](#) and listed as a threatened species under the US Endangered Species Act. Yet some claim that polar bear numbers have increased since the 1950s and are now stable. So what is the situation for this species?

First of all, a few points need to be made about polar bear numbers:

- Nobody really knows how many bears there were in the 1950s and 1960s. Estimates then were based on anecdotal evidence provided by hunters or explorers and not by scientific surveys.
- Polar bears are affected by several factors, including hunting, pollution and oil extraction. Most notably, hunting, particularly following the introduction of snowmobiles, airplanes and ice breakers, led to a huge decline in certain subpopulations. The introduction of the International Agreement on the Conservation of Polar Bears in 1973, which restricted or even banned hunting in some circumstances, consequently resulted in an increase in polar bear numbers.
- Not all subpopulations are affected to the same degree by climate change, and while some subpopulations are well studied, for others there is insufficient data to make broad statements about current and past numbers.

With this caveat in mind, what do the figures actually say? According to a 2009 report by the [IUCN Polar Bear Specialist Group](#), of the 19 recognised subpopulations of polar bears, 8 are in decline, 1 is increasing, 3 are stable and 7 don't have enough data to draw any conclusions. Figure 1 below compares the data for 2005 and 2009.




Figure 1: Subpopulation status of polar bears for 2005 and 2009 (Source: [Polar Bear Specialist Group](#))

Both habitat degradation and over-harvesting are responsible for the decline in some subpopulations. To understand why the IUCN and US Endangered Species Act consider polar bears to be at risk, it is important to look at how rising temperatures are likely to affect their habitat in the future. Polar bears are highly specialised mammals which rely heavily on sea ice for food and other aspects of their life cycle. Satellite data show that Arctic sea ice has been decreasing for the past 30 years, and projections show that this trend will continue as temperatures carry on rising. The changes in sea ice affect polar bears in several ways:

- The early retreat of summer sea ice means that bears have less time to hunt and therefore less time to build up fat reserves.
- The fragmentation and reduction in sea ice has several impacts. It forces the bears to swim longer distances, using up some of their fat reserves. It also reduces the number of seals, which are the bears' main source of food, and impedes travelling and den making. And it also forces the bears to spend more time on land, with increased interactions with humans potentially leading to higher mortality.

To get an idea of the potential impacts of future climate change on polar bears, we can look at subpopulations found at the bears' southern range, where habitat changes have been most noticeable so far. A good example is the western Hudson Bay subpopulation, which is one of the best studied. Here, ice floe break-up is taking place earlier than 30 years ago, effectively reducing the feeding period by about three weeks. As a result, the average weight of female polar bears has dropped by about 21% between 1980 and 2004, and the population declined by 22% between 1987 and 2004. In Alaska, there is evidence of increased cub mortality caused by a decline in sea ice.

In conclusion, the reason polar bears have been classed as threatened comes from the impacts of future climate change on the bears' habitat. Current analysis of subpopulations where data is sufficient clearly shows that those subpopulations are mainly in decline. Further habitat degradation will increase the threats to polar bears.

Basic rebuttal written by Anne-Marie Blackburn

### Update July 2015:

Here is a related lecture-video from [Denial101x - Making Sense of Climate Science Denial](#)

[see video at [this link](#).]

A further website of interest is from [WWF](#).



The Skeptical Science website by [Skeptical Science](#) is licensed under a [Creative Commons Attribution 3.0 Unported License](#).

 **Skeptical Science**.com



Skeptical Science explains the science of global warming and examines climate misinformation through the lens of peer-reviewed research. The website won the Australian Museum 2011 Eureka Prize for the Advancement of Climate Change Knowledge. Members of the Skeptical Science team have authored peer-reviewed papers, a [college textbook on climate change](#) and the book [Climate Change Denial: Heads in the Sand](#). Skeptical Science content has been used in university courses, textbooks, government reports on climate change, television documentaries and numerous books.



The [Skeptical Science](#) website by Skeptical Science is licensed under a Creative Commons [Attribution 3.0 Unported License](#).